



# Oracle

## 1Z0-821

**ExamName: Oracle Solaris 11 System Administration**

**Exam Version: 6.0**

**Questions & Answers Sample PDF**

(Preview content before you buy)

**Check the full version using the link below.**

**<https://pass2certify.com/exam/1z0-821>**

**Unlock Full Features:**

**Stay Updated:** 90 days of free exam updates

**Zero Risk:** 30-day money-back policy

**Instant Access:** Download right after purchase

**Always Here:** 24/7 customer support team

### Question 1. (Multi Select)

You need to make sure that all of the software packages on your server are up to date. Without installing any updates, which two commands would display .my software updates that are available in the default Oracle repository?

- A: `pkg update -nv '*'`
- B: `pkg list -u`
- C: `pkg info -r '*'`
- D: `pkg install -nv`
- E: `pkg search -u`
- F: `pkg verify -u '*'`

**Answer: A, D**

#### Explanation:

A: the `pkg list` command display a list of packages in the current image, including state and other information. By default, package variants for a different architecture or zone type are excluded.

D: `pkginfo` displays information about software packages that are installed on the system (with the first synopsis, with `-l`) or that reside on a particular device or directory (with the second synopsis, with `-r`).

Without options, `pkginfo` lists the primary category, package instance, and the names of all completely installed and partially installed packages. It displays one line for each package selected.

With `-r`, retrieve the data from the repositories of the image,s configured publishers. Note that you must specify one or more package patterns in this case.

### Question 2. (Single Select)

zone1 is a non-global zone that has been configured and installed.

zone1 was taken down for maintenance, and the following command was run:

```
zoneadm -z zone1 mark incomplete
```

The following information is displayed when listing the zones on your system:

ID	NAME	STATUS	PATH	BRAND	IP
0	global	running	/	solaris	shared
-	dbzone	installed	/export/dbzone	solaris	excl
-	zone1	incomplete	/zone/zone1	solaris10	excl

Which task needs to be performed before you can boot zone1?

- A: The zone needs to be brought to the complete state.
- B: The zone needs to be brought to the ready state.
- C: The zone needs to be installed.
- D: The zone needs to be uninstalled and reinstalled.

**Answer: C**

### Explanation:

If administrative changes on the system have rendered a zone unusable or inconsistent, it is possible to change the state of an installed zone to incomplete.

Marking a zone incomplete is irreversible. The only action that can be taken on a zone marked incomplete is to uninstall the zone and return it to the configured state.

### Question 3. (Single Select)

You have a user that needs to use the cron tool to schedule some repetitive tasks. When the user enters the crontab -e command in a terminal window, the following error appears:

crontab: you are not authorized to use cron. Sorry

In order to troubleshoot this issue, in what directory would you start your invest

- A: /etc/cron.d
- B: /var/spool/cron
- C: /var/spool/cron/crontable
- D: /var/spool/cron/atjobs

**Answer: A**

**Explanation:**

crontab: you are not authorized to use cron. Sorry.

This message means that either the user is not listed in the cron.allow file (if the file exists), or the user is listed in the cron.deny file.

You can control access to the crontab command by using two files in the /etc/cron.d directory: cron.deny and cron.allow. These files permit only specified users to perform crontab command tasks such as creating, editing, displaying, or removing their own crontab files.

The cron.deny and cron.allow files consist of a list of user names, one user name per line.

**Question 4. (Single Select)**

You are having an issue with the shutdown command. You wish to determine if the file is a script or an executable program. Which command would you use to determine this?

- A: file shutdown
- B: test shutdown
- C: od shutdown
- D: attrib shutdown
- E: cksum shutdown

**Answer: B**

**Explanation:**

The file command determines the file type file tests each argument in an attempt to classify it. There are three sets of tests, performed in this order: filesystem tests, magic tests, and language tests. The first test that succeeds causes the file type to be printed.

**Question 5. (Single Select)**

What determines which bits in an IP address represent the subnet, and which represent the host?

- A: Subnet
- B: unicast
- C: multicast

- D: netmask
- E: broadcast

**Answer: C**

**Explanation:**

A subnetwork, or subnet, is a logically visible subdivision of an IP network. The practice of dividing a network into two or more networks is called subnetting.

The routing prefix of an address is written in a form identical to that of the address itself. This is called the network mask, or netmask, of the address. For example, a specification of the most-significant 18 bits of an IPv4 address, 11111111.11111111.11000000.00000000, is written as 255.255.192.0.

Need more info? Check the link below:

<https://pass2certify.com/exam/1z0-821>

**Thanks for Being a Valued Pass2Certify User!**

Guaranteed Success Pass Every Exam with Pass2Certify.

**Save \$15 instantly with promo code**

**SAVEFAST**

Sales: [sales@pass2certify.com](mailto:sales@pass2certify.com)

Support: [support@pass2certify.com](mailto:support@pass2certify.com)

