



Oracle

1z0-900

ExamName: Java EE 7 Application Developer

Exam Version: 6.0

Questions & Answers Sample PDF

(Preview content before you buy)

Check the full version using the link below.

<https://pass2certify.com/exam/1z0-900>

Unlock Full Features:

Stay Updated: 90 days of free exam updates

Zero Risk: 30-day money-back policy

Instant Access: Download right after purchase

Always Here: 24/7 customer support team

Question 1. (Single Select)

You need to develop a chat application, which allows the display of emoticons and images together with text messages.

How should you configure a WebSocket endpoints to receive both text and binary messages?

- A: Create two @onMessage methods in the same endpoint with appropriate parameter types.
- B: Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
- C: You can achieve this only by creating separate WebSocket endpoints for each message type.
- D: Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.

Answer: D

Question 2. (Multi Select)

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API?

- A: protecting data from unauthorized viewing by using encryption
- B: verifying that a user is allowed to perform an action
- C: ensuring that data is not modified in transit
- D: verifying identity claims from users

Answer: B, C

Question 3. (Single Select)

Given the code fragment:

Which code can be added to register both of these methods to receive BankEvent notifications only if an instance of BankActivityService is already instantiated in the current context?

- A: @Observes(during=IN_PROGRESS) on line 1
- B: @Observes(notifyObserver=IF_EXISTS) on line 3 and line 6
- C: @Observes(notifyObserver=IF_EXISTS) on line 4 and line 7 before method parameter declaration

D: @Observes(during=AFTER_COMPLETION) on line 1

Answer: A

Question 4. (Single Select)

Which code snippet prints the exception error message as part of the page output?

- A: `<%= exception.message %>`
- B: `<c:out value="${requestScope['javax.servlet.error.exception']}"/>`
- C: `<% exception.getMessage(); %>`
- D: `<% System.out.println(e.getMessage()) %>`

Answer: D

Question 5. (Multi Select)

Java EE's support for WS-Security includes handling which two types of security credentials?

- A: X.509 certificates
- B: SAML tokens
- C: OAuth Bearer tokens
- D: Two-factor authentication tokens

Answer: A, B

Need more info? Check the link below:

<https://pass2certify.com/exam/1z0-900>

Thanks for Being a Valued Pass2Certify User!

Guaranteed Success Pass Every Exam with Pass2Certify.

Save \$15 instantly with promo code

SAVEFAST

Sales: sales@pass2certify.com

Support: support@pass2certify.com

